FOR OFFICIAL USE ONLY

Directorate General Defence Purchase Ministry of Defence New Airport Road Tejgaon, Dhaka-1215 Telephone: Military- 5040 Civil - 9132225

E-mail: adp7army1@gmail.com

03 Kartic 1430

06.06.0000.221.Re-Eval (R/P B).23(P-2&3)

19 October 2023

BOARD OF OFFICER- RE-EVALUATION OF FLOATING BRIDGE (RIBBON/PONTOON BRIDGE)

References:

A. Army Headquarters, General Staff Branch, Weapon, Equipment and Statistics Directorate letter number 23.01.901. 028.03.192.(BD).01.23.07.23 dated 13 July 2023 (Not to all).

B. Army Headquarters, Engineer in Chiefs Branch, Engineer Directorate letter number 23.01.901. 055.02.192.03.15.10.23 dated 17 October 2023 (Not to all).

1. It is to inform you that Bangladesh Army is planning to procure of Floating Bridge (Ribbon/Pontoon Bridge). Therefore, interested firms are requested to provide necessary offer, brochures, catalogues, technical/training/operational/maintenance manuals and budgetary offers etcetera (each in duplicate) for the selection of suitable models of Floating Bridge (Ribbon/Pontoon Bridge). The information's/documents has to be sent directly Army Headquarters, Engineer in Chief's Branch, Engineer Directorate by 25 October 2023 with an intimation to this Directorate General please. Offered models should be compatible with technical specification attached as Annex A to this letter. Lack of any information will disqualify the offer. Provide enlistment certificate of DGDP along with the technical offer. Please note that, accordingly following 03 x Models of the said equipment are already standardized by the GSPC Meeting 2/2018 & 10/2018.

Ser	Make & Model	Local Agent	Remarks
1	Make: CNIM & Model: Motorized Pontoon Bridge (PFM)	Sharif Holding Ltd	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	Make: CEFA & Model: SRB	Euro Bangla	
3.	Make: General Dynamics European Land System	AG Automobiles	
	(GDLES) & Model: IRB Improved Ribbon Bridge	The state of the s	

- 2. For Board of Officer, C/O: Army Headquarters, Engineer in Chief's Branch, Engineer Directorate Only: Price can be disclosed during the tender process only. Please note that, interested firms are requested to provide necessary offer (except mentioned in para 1).
- 3. Your co-operation will be highly appreciated.

& Lem

 MD SHAHARIARE KHAN Lieutenant Colonel For Director General

Enclosure:

Technical Specification of Floating Bridge (Ribbon/Pontoon Bridge)-05 (Five) pages Only.

Distribution: External: Action:

(All Concerned Firm/Supplier)

1 of 2 FOR OFFICIAL USE ONLY

FOR OFFICIAL USE ONLY

Information:

Army Headquarters, General Staff Branch, Overseas Operation Directorate

Army Headquarters, General Staff Branch, Weapon, Equipment and Statistics Directorate

Army Headquarters, Engineer in Chief's Branch, Engineer Directorate

Army Headquarters, Master General of Ordnance Branch, Ordnance Directorate

Internal:

Action:

IT Section - (For flashing on DGDP web site).

Notice Board

ANX A TO AHQ, E IN C'S BR, ENGR DTE LTR NO. 23.01.901.055.02.192.02.17 .10.23 DT: 17 OCT 2023

TECHNICAL SPECIFICATION OF FLOATING BRIDGE

Ser	Description	Required Technical Specification	Rmks
(a)	(b)	(c)	(d)
1.	Name of the Equipment	Pontoon/Floating Bridge	
2.	Name and Complete Address of Local Agent	To be mentioned	
3.	Name and Complete Address of Manufacturer	To be mentioned	
4.	Name and Complete Address of Principal	To be mentioned	
5.	Type of Bridge	To be mentioned	
6.	Make & Model	To be mentioned	
7.	Country of Origin		
8.	Country of Assembly	Gp A country	
9.	Country of Manufacturer		
10.	Year of Production	Not before the Year of Contract	
11.	Floating Bridge		
	a. Type of floating Bridge (t)	To be mentioned	
	b. Interior Bays		
lange	(1) Length		
	(2) Width		
	(3) Self Weight	To be mentioned	
	(4) Maximum Load Carrying		
	Canacity		
	(5) Method of Cruising of the Bay	Preferably have self-cruising capability	
	in Water		
	(6) Cruising Speed of the Bay in Water	To be mentioned	
	c. Ramp Bays		
	(1) Length	To be mentioned	
	(2) Width		
	(3) Self Weight		
	(4) Maximum Load Carrying Capacity	To be mentioned	
	(5) Method of Cruising of the Ramp Bay in Water	Preferably have self-cruising capability	
	(6) Cruising Speed of the Ramp Bay	To be mentioned	
	in Water d. Maximum Wheel Load (t)		
	(1) For Single Lane	To be mentioned	
	(2) For Double Lane:	To be mentioned	
	m 1 11 1 (b)	For Single Lane: Minimum MLC 20	
	e. Minimum Tracked Load (t)	For Double Lane: Minimum MLC 50	
	f. Axle Load (t)	To be mentioned	
		For Single Lane: Minimum 3.2 m	
	g. Roadway width	For Double Lane: Min 6.5 m	
	h. Maximum length of bridge	For Single Lane: To be mentioned	
	(according to load classification)	For Double Lane: To be mentioned	
	j. Maximum width of the bridge		
	k. Personnel required for erection		- 1
	(as per type of bridge)		
	l. Time required for rection (as	14 × 1.00s	- T _{at} a
	per type of bridge) in min		
	m. Allowable current velocity	Minimum 2.25 m/s	
	n. Allowable slope of the bank	To be mentioned	
	p. Draft (with maximum load)	Maximum 1.0m	

Ser	Description	Required Technical Specification	Rmks
JCI	Total Number of Bays required for	100m Pontoon/floating Bridge (according to load	
	classification and as per type of Bridge)		
	(1) Total Number of Interior Bays are		
	Required for Bridging		
	(2) Total Number of Ramp Bays are		
	Required for Landing	For Single Lane: To be mentioned For Double Lane: To be mentioned	-
	(3) Total Number of Additional Ramp		
	Bays are Required for Complete 100m		
	Bridge Set		
	(4) Total Number of Truck/ Vehicle/		
	Transporter Require		
	r. Anchor System of the	Details to be mentioned	
	Pontoon/Floating Bridge		
12.	Raft Assembly		
	a. <u>Carrying capacity (t)</u>		
	(1) Minimum	Minimum MLC 50	
	(2) Maximum	To be mentioned	
	b. Type of Raft can be Assembled	To be mentioned	
	from 100m Floating Bridge length (As		
	per prescribed carrying capacity)		-
	c. No of Bays Required for Raft (Accor	ding to the type of Raft as per Length and Minimum MLC	
	50)		
	(1) Interior Bay	To be mentioned	
	(2) Ramp Bay		
	d. Number of Ramp Bays Required for	To be mentioned	
	Operating Two Rafts at a time from 100m		
	e. Personnel required for assembl	ing (as per type)	
		To be mentioned	
	(2) Pilot f. Anchor System of the Raft	Details to be mentioned	
		Details to be mentioned	
	g. Time required (as per type) in min		
13.	Out Board Motor (OBM)		
15.	a. Make & Model	To be mentioned	
	b. Country of Origin,	Gp A country	
	c. Country of Manufacture		
	d. Country of Assembly		
	e. Engine Rated Horse Power with		
	Rpm		
	f. Bore and Stroke	To be mentioned	
	g. Displacement (cc)	To be mentioned	
	h. Type of Fuel		
	j. Number of OBM provide per		
	Interior & Ramp Bay	To be mentioned	
	k. Starting		
	l. Engine Test bench Report	During Pre-shipment Inspection Engine Test Bench Report (for each	
	i. Engine rese senon report	model) which was prepared by manufacturer during production of engine at factory premises must be produced and submitted to the	
		psi team (duly signed and stamped by the manufacturer). Other	
		engines (mentioning engine number) of the same model must be certified confirming the engine Test Bench Report by the	
		manufacturer (duly singed and stamped)	
14.	Motor Boat (When Applicable)		
	a. Make & Model	To be mentioned	
	b. Country of Origin,	Gp A country	
	c. Country of Manufacturer		
	d. Country of Assembly		
	e. Number of Motor Boat		
	f. Capacity of Boat	To be mentioned	
	(1) Length (2) Width	To be mentioned	

Can	Description	Required Technical Specification	Rmks
Ser	h. No of motor boat vehicle/	To be mentioned	
	teanchorter		
	Loading and unloading of boat	Details to be mentioned	
	from vehicle/Transporter		
	k. Draught	To be exceptioned	
	l. Cruising range	To be mentioned	
m. Material of Boat			
	n. Engine	m. Less settened	
	(1) Make & Model	To be mentioned	
	(2) Country of origin, manufacture	Gp A country	***
	and assembly		
	(3) No of cylinder	- The beautiful and	
	(4) Displacement		
	(5) Max Torque with rpm	To be mentioned	
	(6) Max hp with RPM	(1) (1)	
(7) Cooling system Liquid cooled	Liquid cooled		
	(8) Dore & stroke	- m 1	
	(9) Starting	To be mentioned	
	(10) Fuel system	During Pre-shipment Inspection Engine Test Bench Report	
	(11) Engine Test bench Report	(for each model) which was prepared by manufacturer during production of engine at factory premises must be produced and submitted to the PSI team (duly signed and stamped by the manufacturer). Other engines (mentioning engine number) of the same model must be certified confirming the engine Test Bench Report by the manufacturer (duly singed and stamped).	
15.	Truck		
	a. Make and Model	To be mentioned	
	b. Country of Origin	Gp A country	
	c. Country of Assembly		,
	d. Country of Manufacturer		
	e. Year of Production	Not before the year of contract	
	f. Drive	Right Hand Drive (RHD)	
	g. <u>Overall Dimension</u>		
	(1) Length	_	
	(2) Width		
	(3) Height		
	h. Wheel Base	- To be montioned	
	j. Wheel Tread (Front & Rear)	To be mentioned	
	k. Configuration		
	l. Gross vehicle weight	_	
	m. Kerb weight of Truck		
	n. Pay Load of Truck		
	p. Axle	C.	
	(1) No of Axle	To be mentioned	
	(2) Type and capacity of		
	axles		
	q. Gradiability with full load	Minimum 15º	
	r. Fording depth	Minimum 600 mm	
	s. Ground Clearance	Minimum 275 mm	
	t. Turning radius	Maximum 13m	
	u. Angle of approach	Minimum 15°	
	v. Angle of departure	Minimum 15 ^o	
	w. Engine		
	(1) Make and Model		
	(2) Type	To be mentioned	
	(3) Country of Origin	Gp A country	
	(4) Country of	up A country	
	manufacturer		`
	(5) Country of Assembly		1
	(6) Year of Production	Not before the year of contract	

Ser	Description	Required Technical Specification	Rmks
Jei	(7) Horse Power with	Minimum 250 Horse Power @ rpm to be	
	rpm	mentioned	
	(8) Torque with rpm		
	(9) No of cylinder	To be mentioned	
	(10) Bore and stroke		
	(11) Cooling system	Water Cooled	
	(12) Type of Fuel	Diesel	
	(13) Displacement		
	(14) Fuel consumption	To be mentioned During Pre-shipment Inspection Engine Test Bench Report (for each model)	
	(15) Engine test bench Report	buring Pre-simplient inspirent of the substitution of engine at factory which was prepared by manufacturer during production of engine at factory premises must be produced and submitted to the PSI team (duly signed and stamped by the manufacturer). Other engines (mentioning engine number) of the same model must be certified confirming the engine Test Bench Report by the manufacturer (duly singed and stamped)	
	x. Fuel tank capacity	Minimum 200 liters	
	y. Suspension of Truck	To be mentioned	
	z. Transmission		
	(1) Type	To be mentioned	
	(2) Country of Origin	Gp A country	
	(3) Country of		
	manufacturer		
	(4) Country of Assembly		
	(5) No of gear	To be mentioned	
	(6) Gear ratio	·	
	aa. Wheel & Tyre		
	(1) Number of Tyre	To be mentioned	
	(2) Size of Tyre	10 be mentioned	
	(3) No of Spare Tyre	Should be as per the ratio of total no of Tyres	
	(4) Tyre Brand	Bridgestone/Dunlop/Goodyear/ Yokohama/Toyo/Uniroyal/ Continental/ Michelin/Folda/Firestone/Armstrong/ AMTEL/ Pirelli/ Hankook/ Kumho	
	(5) Tyre Country of Origin	USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines, Singapore, Thailand and South Korea	
	(6) Tyre type/pattern design	Non-directional, Ground Grip/Cross country (ND, GG/CC)	
	(7) Rim size	To be mentioned	
	bb. Brake System		
	(1) Service brake		
	(2) Auxiliary brake	Details to be mentioned	
	(3) Parking brake		
	cc. Steering	Power Steering	
	dd. Electric System		
	(1) Voltage	24 Volt	
	(2) Battery (Volt & AH)	Volt & AH to be mentioned	
	(3) Alternator (Volt & Amp)	Volt & Amp to be mentioned	
	(4) Starter (Volt & Kw)	Volt & Kw to be mentioned	
	ee. Cabin	To be mentioned	
	ff. Lighting System	All lights & gauges include head light, Tail, Work, Blackout light & Backup light include hour meter and other related lights & gauges require to make the equipment fully operation	
	gg. Blackout Light		
	(1) 2x blackout head		
	light		
	(2) Blackout indicator	To be provided	
	light at front & rear		
	(3) Blackout stop light	<u> </u>	
	(4) Blackout Convoy light		
PORTER AND ADDRESS OF THE PARTY	hh. Protection System		
	1. Self-Recovery Winch Machine		
	(a) Type of self-recovery	To be included	
	(b) Control mechanism	10 be metaca	

A-4 RESTRICTED

Ser	Description	Required Technical Specification	Rmks
	(c) Maximum operational length		
	2. Auto Fire Extinguishing and		
	Suppression System		
16.	Colour	As per user reqr	
17.	Ambien Condition		-
17.	a. Air temperature	-5°C to +55°C	
	b. River water temperature	-5°C to +35°C	`
10	Salinity (TDS)/Cathodic Protection of	Arrangement to be Provided to withstand the	
18.	the Floating Bridge	salinity.	
19.	All Equipment and Component of Main	a. Will be brand new	
17.	Vehicle, Floating (Ribbon/ Pontoon)	b. Will be manufactured Maximum 01 year of contract.	
	Bridge, Truck, Out Boat Motor/Motor	c. Manufacturers have to provide guarantee certificate	
	Boat and Raft		
20.	Floating Bridge (Ribbon/Pontoon Bridge) Acces	sorles. Spares and Tools	
20.	a. Pontoon/Floating Bridge spares, tools		
	and accessories		
	b. Truck spares, tools and accessories		
		List to be provided	
	c. Out Boat Motor/Motor Boat spares,	bist to be provided	
	tools and accessories		
2.	d. Raft spares, tools and accessories		
21.	Pontoon/Floating Bridge (Tools Box)		
	a. Pontoon/Floating Bridge tools box	I was all and all and a select be distant	
	b. Truck tools box	Integral and all essential tools to be fitted	
	c. Out Boat Motor/Motor Boat tools box		
	/		
	d. Raft tools box		
22.	Miscellanies (Misc)		
	a. Pontoon/Floating Bridge onboard		
	fitted items	Details list of all onboard default fitted items to be	
	b. Truck onboard fitted items	mentioned	
	c. Out Boat Motor/Motor Boat onboard		
	fitted items		
	d. Raft onboard fitted items		
	e. Loading and unloading of the Ramp	Details to be mentioned	
	bay and interior bay from vehicle		
23.	All components should be able to withstand	Manufacturers have to provide guarantee cert	
	minimum 98% humidity or above typical to		
	Bangladesh weather		
24.	All components i.e. panel boards, gauges, instruments etc marking and display reading		
	should be in English language (To be confirmed	Manufacturers have to provide guarantee cert	
	by the manufacture)		
25.	After sell service support/spare parts	Min 15 years, Manufacturers have to provide	
20.		guarantee cert	
26.	Model validity	Min 10 years	
27.	ISO Certificate of Similar Rating	ISO Certificate to be provided by the Manufacturer	upra mana and an and an
28.	List of fast and slow moving spares	To be provided with the offer	
29.	Tool list for different level of	To be provided with manufacturer's recommended	
49.	maintenance	tool list and detail maintenance schedule at different	
	manitenance	level	
30.	Authorize cert of		
	principal in favor of local		
	agent	To be provided	-
31.	Authorize cert of manufacturer in favor		
	of principal		
32.	Publications: Fol publication book		
32.	type in English to be provided		
	type in English to be provided		
	a. Owners/Operators manual and	As per requirement of EME Dte	
	a. Owners/Operators manual and CD/DVD	As per requirement of EME Dte	
	a. Owners/Operators manual and CD/DVD b. Workshop/Repair manual and	As per requirement of EME Dte	
	a. Owners/Operators manual and CD/DVD b. Workshop/Repair manual and CD/DVD	As per requirement of EME Dte	
	a. Owners/Operators manual and CD/DVD b. Workshop/Repair manual and CD/DVD c. 100% updated master spare parts	As per requirement of EME Dte	
	a. Owners/Operators manual and CD/DVD b. Workshop/Repair manual and CD/DVD	As per requirement of EME Dte	·

A-5 RESTRICTED