

FOR OFFICIAL USE ONLY

Directorate General Defence Purchase
Ministry of Defence
New Airport Road
Tejgaon, Dhaka-1215
Telephone: Military 5056
Civ: 48111625
E-mail: adpmaj8@gmail.com

06.06.0000.214.eval.24/Single Cabin Pickup

19 August 2025

PROCUREMENT OF SINGLE CABIN PICKUP (LEFT HAND DRIVEN)

Reference:

A. Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate letter number 23.01.901.048.06.079.03.18.08.25 Dated 18 August 2025 (Not to all).

1. Please be informed that Bangladesh Army is planning for re-evaluation of **Single Cabin Pickup (Left Hand Driven)**. In this regard, you are requested to forward technical offer along with **original Brochure/Catalogue, Model Technical Specification 100% updated original Spare Parts Catalogue (Hard/Soft copy) and other information**. Offered models should be compatible with general technical specification attached herewith and to be submitted directly to Army Headquarters, Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate, Dhaka Cantonment by **10 September 2025** with an intimation to this office. You are also requested to provide enlistment certificate of DGDP along with technical offer. Lack of any information will disqualify the offer.

2. Forwarded for your information and necessary action please.



MD REFATH AL MURTOZA
Major
For Director General

Annex:

A. Technical Specification of Single Cabin Pickup (Left Hand Driven) - 01 Set.

Distribution:

External:

Action:

(All Concerned Supplier/Firm)

Information:

Army Headquarters
General Staff Branch, Weapon Equipment and Statistic Directorate

Army Headquarters
Master General of the Ordnance Branch, Ordnance Directorate

Army Headquarters
Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate

Internal:

IT Section: Publish in web site.

FOR OFFICIAL USE ONLY


RESTRICTED
GENERAL SPECIFICATION: SINGLE CABIN PICKUP (LEFT HAND DRIVEN)

Ser	Description of Technical Specifications	Required Technical Specifications	Rmk
1.	Name of the Local Agent with full Address (including Telephone, Mobile & Fax number, email & Web address)	To be mentioned	
2.	Name of the Manufacturer with full Address (including Telephone & Fax number, email & Web address)	To be mentioned	
3.	Name of the Principal with full Address (including Telephone & Fax number, email & Web address)	To be mentioned	
4.	Nomenclature	Single Cabin Pickup (Left Hand Driven)	
5.	Make & Model	To be mentioned	
6.	a. Country of Origin	Group-A & B Countries	
	b. Manufacturing Country	Group-A & B Countries	
	c. Country of Assembly	Group-A & B Countries	
7.	Drive	LHD	
8.	Configuration	4x4	
9.	Roof	Hard top for driver's cabin and soft top for rear body with superstructure	
	Dimensions :		
10.	a. Overall Length	To be mentioned	
	b. Overall Width	To be mentioned	
	c. Overall Height	To be mentioned	
	d. Roof Height from Seat	To be mentioned	
11.	Wheel Base	To be mentioned	
12.	Ground Clearance	Should not be less than 210 mm	
13.	Wheel Track		
	a. Front	To be mentioned	
	b. Rear	To be mentioned	
14.	Gradient	60% (Minimum)	
15.	Angle of Approach	30° (Minimum)	
16.	Angle of Departure	25° (Minimum)	
17.	Fording Depth	500 mm (Minimum)	
18.	Weights		
	a. Kerb Weight	To be mentioned	
	b. Payload	1000 Kg (Minimum)	
	c. Gross Vehicle Weight (GVW)	To be mentioned	
	d. Power/Weight Ratio (HP/Ton)	To be mentioned	
	e. Towed Load	500 Kg (Minimum)	
19.	Seating Capacity	To be mentioned	
20.	Turning Radius (Maximum)	8.25 Meter (Maximum)	
21.	Engine	All Pickup must be 4 Stroke diesel Pickup	
	a. Make & Model	To be mentioned	
	b. Country of Origin	Group-A & B Countries	
	c. Country of Manufacturer	Group-A & B Countries	
	d. Country of Assembly	Group-A & B Countries	
	e. No of Cylinder	4 Cylinder (Minimum)	
	f. Bore and Stroke	To be mentioned	
	g. Piston Displacement	To be mentioned	
	h. HP	100 HP (Min) (RPM to be mentioned)	
	j. Torque	250 N-m (Min) RPM to be mentioned	
	k. Engine Test Bench Report	1. Engine Test Bench Report for all engines prepared by manufacturer during production of engine at manufacturing factory must be submitted to the SI/PSI team for each model. 2. If Engine Test Bench Report of all engines can not be submitted, in that case, for other engines of the same model must be certified	




RESTRICTED

Ser	Description of Technical Specifications	Required Technical Specifications	Rmk
		and confirmed with the engine Test Bench Report (mentioning engine number) by the manufacturer duly signed and stamped.	
	l. Fuel Tank Capacity	To be mentioned	
	m. Type of fuel	Diesel	
	n. Fuel Injection Pump	To be mentioned	
	p. Fuel Consumption per 100 km	To be mentioned	
	q. Max Speed (High way)	100 Km/h (Minimum)	
	r. Engine Oil Sump Capacity	To be mentioned	
	s. Cooling System	Liquid cooled	
	t. Coolant Capacity	To be mentioned	
22.	Cruising Range	500 km (min) with provision for extra Jerrican outside main cargo space (If required)	
23.	Transmission.	Type to be mentioned	
	a. Make & Model	To be mentioned	
	b. Country of Origin	Group-A & B Countries	
	c. Country of Manufacturer	Group-A & B Countries	
	d. Country of Assembly	Group-A & B Countries	
	e. Gear Ratio	To be mentioned	
24.	Type of Steering	Power Steering	
25.	Transfer Case.		
	a. Make & Model	To be mentioned	
	b. Country of Origin	Group-A & B Countries	
	c. Country of Manufacturer	Group-A & B Countries	
	d. Country of Assembly	Group-A & B Countries	
26.	Chassis.		
	a. Type	To be mentioned	
	b. Country of Origin	Group-A & B Countries	
	c. Country of Manufacturer	Group-A & B Countries	
	d. Country of Assembly	Group-A & B Countries	
27.	Front Axle.		
	a. Type	To be mentioned	
	b. Axle Capacity	To be mentioned	
	c. Country of Origin	Group-A & B Countries	
	d. Country of Manufacturer	Group-A & B Countries	
	e. Country of Assembly	Group-A & B Countries	
28.	Rear Axle.		
	a. Type	To be mentioned	
	b. Axle Capacity	To be mentioned	
	c. Country of Origin	Group-A & B Countries	
	d. Country of Manufacturer	Group-A & B Countries	
	e. Country of Assembly	Group-A & B Countries	
29.	Suspension Details		
	a. Front	To be mentioned	
	b. Rear	To be mentioned	
30.	Brake System		
	a. Service Brake	To be mentioned	
	b. Parking Brake	To be mentioned	
	c. Emergency Brake	To be mentioned	
31.	Tyres		
	a. Tyre size	To be mentioned	
	b. Tyre Brand	Bridgestone/Dunlop/Goodyear/ Yokohama /Toyo/ Uniroyal/Continental/Michelin/Folda/ Firestone/Armstrong/ AMTEL/Pirelli/ Hankook and Kumho	
	c. Country of Origin	USA, Japan, EU Countries, Russia, Brazil, Indonesia, Malaysia, Philippines Singapore, Thailand and South Korea	
	d. Tyre Pattern	Non-directional (ND) Ground Grip (GG) and	



RESTRICTED

Ser	Description of Technical Specifications	Required Technical Specifications	Rmk
		Cross country (CC).	
	e. Rim Size	To be mentioned	
32.	Electric System		
	a. Volt	24 Volt or 12 Volt	
	b. Battery	1 or 2 x 12 Volt AH to be mentioned	
	c. Alternator	12/24 Volt Amp to be mentioned	
	d. Starter	12/24 Volt KW to be mentioned	
33.	Noise Suppressor	To be provided	
34.	Front Doors	To be provided	
35.	Dimension Cargo Bed Interior		
	a. Length (Interior)	To be provided	
	b. Width (Interior)	To be provided	
	c. Height (Interior)	To be provided	
36.	Clutch		
	a. Type	To be provided	
	b. Model	To be mentioned	
37.	Differential lock/limited slip differential	To be mentioned	
38.	Accessories		
	a. 01 set x spare wheel complete set with fitting attachment (Should be fitted preferable under rear load body)	To be provided	
	b. <u>Lights</u> . 02 x Head lights (Sealed beam type), 04 x Turn signal light (front & Rear), 02 x Stop/Brake lights, 02 x Reverse light, 01 x Cabin light, All gauges and meters in dashboard Fuel gauges, Hazard warning lights etc as required for proper functioning of all system of the vehicle.	To be provided	
	c. 02 x Fog lamp at front for drive	To be provided	
	d. Black out light : 01x Blackout driving light at front RH, 02x Blackout side light NATO standard at front LH & RH, 02x Blackout combination light NATO std (Side & stop) at rear LH & RH and 01x Blackout convoy light at rear	To be provided	
	e. Fire Extinguisher 1 Kg capacity for A, B C & E type with bracket and chemical filled to be fitted at the side of driver seat	To be provided	
	f. Seat belt for driver and front passenger	To be provided	
	g. Rear seat complete set including all accessories	To be provided	
	h. Driver seat: Double side front and rear height adjustable with full tilting system of back rest for driver and second seater	To be fitted	
	j. Head rest for front & rear seater	To be provided	
	k. 01 Set of vinyl canopy with both side transparent window of heavy duty talc sheet with superstructure (mild steel)	To be provided	
	l. Mudguard with mud flap for all wheel	To be provided	
	m. Electrical connection for trailer 12 pin NATO standard	To be provided	
	n. Antenna fixing base for wireless	To be provided	
	p. Fixing socket for wireless set power supply	To be provided	
	q. Base frame for fixing wireless set (Free size)	To be provided	
	r. Guard for all light	To be provided	
	s. Pintle hook rotating type NATO standard at rear (03 Ton capacity Minimum)	To be provided	
	t. Attaching point for load restraint	To be provided	
	u. Rifle clip inside the cabin for fixing 02x rifle	To be provided	
	v. Inspection lamp complete with Cable (10	To be provided	



RESTRICTED

Ser	Description of Technical Specifications	Required Technical Specifications	Rmk
	meter), Plug & arrangement of socket in the vehicle for use of inspection lamp as manufacturer standard.		
	w. 01 set x Floor mat front & rear complete	To be provided	
	x. 02 x Sun visors with fitting brackets	To be fitted	
	y. 01 x Inside rear view mirror	To be fitted	
	z. 02 x Outside rear view mirror with stands/brackets	To be fitted	
	aa. 01 x Cigarette lighter & Ashtray	To be provided /fitted	
	bb. Radio set complete	To be fitted	
	cc. Clock at Dash board	To be fitted	
	dd. Both side door: Full size normal door with normal winding windows	To be fitted	
	ee. Tachometer with engine RPM meter and Speedo meter (MKS system) in dashboard	To be fitted	
	ff. Roof Mount Cabin Lamp Inside Cabin.	To be fitted	
	gg. 02 x Towing hook at front	To be provided	
39.	Tools Set		
	a. 01 x Standard hydraulic jack with handle	To be provided	
	b. 01 x Wheel wrench with handle	To be provided	
	c. 01 x Adjustable wrench	To be provided	
	d. 01 x Pliers	To be provided	
	e. 01 x Screw driver (±) with handle	To be provided	
	f. 02 Nos. Double ended spanner	To be provided	
	g. Grease gun with replaceable tip locally	To be provided	
	h. Tyre pressure gauge	To be provided	
	j. 01 x Tool bag for above tools	To be provided	
40.	Petrol Oil Lubricant (POL) Information. The following information must be submitted with the offer:		
	a. Grade of fuel used in Vehicle	To be mentioned	
	b. Type of Engine Oil used in Vehicle	To be mentioned	
	c. Type of gear Oil (Equivalent grade) used in vehicle	To be mentioned	
	d. Grade of fuel to be used in Bangladesh	The vehicle must be suitable for used with fuel available in bangladesh	
41.	Colour	As per indentor requirements	
42.	Publications		
	a. Driver's/Owner's manual in English for Vehicle (Complete Book type)	To be provided as per requirement of EME Dte	
	b. Updated workshop/repair manual (for vehicle) in English (Complete Book type).	To be provided as per requirement of EME Dte	
	c. Spare Parts Catalogue in English Book type.	To be provided as per requirement of EME Dte	
	d. Spare Parts Price Catalogue in English Book type.	To be provided as per requirement of EME Dte	
	e. Other Operator's manuals Catalogue (Book Type) for additional equipment like Radio, Navigational Equipment etc.	To be provided as per requirement of EME Dte	
43.	Fast and slow moving spare parts	List to be provided as per requirement of EME Dte	
44.	Analyzer, measuring & testing/fault finding and diagnostic set (If required)	To be provided as per requirement of EME Dte	
45.	Special Service Tools (SST)	List to be provided as per requirement of EME Dte	
46.	Special Service Materials (SSM)	List to be provided as per requirement of EME Dte	
47.	Training Requirements.		
	a. User Training	To be provided (As per User/ Sponsor Directorate)	



RESTRICTED

Ser	Description of Technical Specifications	Required Technical Specifications	Rmk
	b. Operation, Repair and Maintenance Training	To be provided (As per requirement of EME Directorate)	
	c. Equipment Management Training	To be provided (As per requirement of Ordnance Directorate)	
48.	Terms and Conditions		
	a. Original offer (with proper signing at every pages) along with original brochure/ catalogue with proper marking and signed name designation, telephone No, Fax No., E-mail address must be submitted	Must be confirmed as per requirement	
	b. Offered technical specifications must conform to the specifications mentioned in the submitted brochure/ catalogue; otherwise offer will not be accepted. Fax/photocopy offer/ catalogue/ brochure & catalogue without marking/signing will not be considered	Must be confirmed as per requirement	
	c. Authorization certificate (Original) in favour of principal by the original vehicle manufacturer to be submitted along with offer	Must be confirmed as per requirement	
	d. Authorization certificate (Original) in favour of local agent by the principal to be submitted along with offer	Must be confirmed as per requirement	
	e. The Manufacturer, Principal and Local Agent must give a guarantee certificate for the following :		
	(1) Same/similar model of vehicle/ equipment will be available for next 10 years (Confirmation certificate to be provided by manufacturer)	Must be confirmed as per requirement	
	(2) Spares will be available for at least 15 years (Confirmation certificate to be provided by manufacturer)	Must be confirmed as per requirement	
	(3) After sales service should be available with local agent and will be provided as and when required for indefinite period (at free of charge up to guarantee period) and then onwards with payment (Confirmation certificate to be provided by local agent).	Must be confirmed as per requirement	
49.	Other Technical Requirement for Military Vehicle		
	a. Vehicle must be able to tow minimum 500 Kg Trailer Cross Country.	Vehicle must able to tow minimum 500 Kg Trailer Cross Country	
	b. Vehicle must be "Fit for Radio" (FFR) communication with FR suppression/ Shielding in complete electrical system including alternator	To be provided	
	c. Rain and Dust Protection. Removable soft top cover for protection against rain and dust	To be provided	
	d. Vehicle must be of 24 Volt with electrical system with power output socket in rear passenger compartment for radio (FFR) sets	To be provided	
	e. Tyres for all pickup must be same size and grip pattern for logistics ease	To be provided	
	f. Suspension must allow for travel with full load over broken and undulating ground	To be provided	
	g. Crew Safety. Single Tubular Steel Roll Over protection bar strong enough to special GVW (Gross Vehicle Weight)	To be provided	
51.	Provision of repair, maintenance and after sale service support from local firm	Name of workshop to be mentioned	
52.	a. Time of Free Service	1 Year or 12000 miles (whichever comes later)	
53.	b. Warranty/Guaranty	1 Year or 12000 miles (whichever comes	



RESTRICTED

Ser	Description of Technical Specifications	Required Technical Specifications	Rmk
		later) from the date of issuing I/NOTE	
54.	Production Date	Manufactured not before the year of contract	

