## FOR OFFICIAL USE ONLY

Directorate General Defence Purchase Ministry of Defence New Airport Road Tejgaon, Dhaka-1215 Telephone: Military 5036

Civ: 01769015036

E-mail: adp1army1@dgdp.gov.bd

Agrahayan 1432

06.06.0000.214.eval.24/Microbus

## **RE-EVALUATION COMMITTEE - MICROBUS**

November 2025

Reference:

- A. Army Headquarters, Quarter Master General Branch, Supply and Transport Directorate letter number 23.01.901.043.03.01.079.02.20.11.25/2 Dated 19 November 2025 (Not to all).
- 1. Please be informed that Bangladesh Army is planning for re-evaluation of Microbus. In this regard, you are requested to forward technical offer along with original Brochure/Catalogue, Model Technical Specification 100% updated original Spare Parts Catalogue (Hard/Soft copy) Training, Operational, Maintenance Manuals and other information. Offered models should be compatible with general technical specification attached herewith and to be submitted directly to Army Headquarters, General Staff Branch, Weapon Equipment and Statistic Directorate, Dhaka Cantonment by 31 December 2025 with an intimation to this office. You are also requested to provide enlistment certificate of DGDP along with technical offer. Lack of any information will disqualify the offer.
- 2. Forwarded for your information and necessary action please.

SHEULY AKTER Lieutenant Colonel For Director General

Annex:

A. Technical Specification of Microbus - 01 Set.

Distribution:

External:

Action:

(All Concerned Supplier/Firm)

Information:

Army Headquarters, General Staff Branch, Weapon Equipment and Statistic Directorate

Army Headquarters, Quarter Master General Branch, Supply and Transport Directorate

Army Headquarters, General Staff Branch, Overseas Operations Directorate

Army Headquarters, Master General of the Ordnance Branch, Ordnance Directorate

Army Headquarters

Master General of the Ordnance Branch, Electrical and Mechanical Engineers Directorate

Internal:

IT Section: Publish in web site.

FOR OFFICIAL USE ONLY

ANX A TO AHQ, QMG'S BR (ST DTE) LM NO 23.01.901.043.03.01.079.01.05. DT: NOV 2025

## AMDT GEN SPEC OF MICROBUS

Ser	Nomenclature/Description	Specification specified	Must be filled up by manufacturer/principal
Part 1	: General Specification		
1.	Nomenclature	To be mentioned	
2.	Name and Complete Address of Local Agent with full Address (Including Mobile, Phone & Fax Number, Email & Web Address)	To be mentioned	
3.	Name and Complete Address of Principal with full Address (Including Mobile, Phone & Fax Number, Email & Web Address)	To be mentioned	
4.	Name and Complete Address of Manufacturer with full Address (Including Mobile, Phone & Fax Number, Email & Web Address)	To be mentioned	
5.	Make and Model		
6.	Country of origin	Gp A countries	
7.	Manufacturing Country (Made in)	Gp A countries	
8.	Country of Assembly	To be mentioned	
9.	Year of Production  Mode of Supply	Not before the year of contact  CBU/CKD (CKD body to be fabricated	
U.	Notice of Supply	locally) To be mentioned	
- PRODUCTION OF A	le Specifications	4x2	
1.	Configuration	RHD (Right Hand Drive)	***************************************
12.	Drive Seating capacity:	TATE ORIGINAL TOP	
0.	a. Front	To be mentioned	
	b. Rear	To be mentioned	
4	Dimensions		
1-4	a. Overall Length (mm)	To be mentioned	
	b. Overall Width (mm)	To be mentioned	
	c. Overall Height (mm)	To be mentioned	
15.	Wheel Base	To be mentioned	***************************************
16.	Tread		
	a. Front	To be mentioned	
	b. Rear	To be mentioned	
17.	Dimensions Deck Inside		***************************************
	a. Overall length (mm)	To be mentioned	
	b. Overall width (mm)	To be mentioned	***************************************
	c. Overall height (mm)	To be mentioned	
18.	Wheel Track (Tread)	<b>*</b> - L L	
	a. Front	To be mentioned	***************************************
	b. Rear	To be mentioned  Minimum 180 mm	
19.	Ground Clearance	To be mentioned	
20.	Angle of approach (Degree)	To be mentioned	
21. 22.	Angle of departure (Degree)	To be mentioned	
23.	Fording Depth (mm) Grade ability (Degree)	To be mentioned	
24.	Turning radius (mm)	To be mentioned	
25.	Weight		
20.	a. Kerb weight (In kg)	To be mentioned	
	b. Pay load (In kg)	To be mentioned	
26.	c. Gross Vehicle Weight (GVW)	To be mentioned	
27.	Performance:		
	a. Max Speed	To be mentioned	
	b. Fuel consumption as 100 km	To be mentioned	
Part	2: Technical Specifications		
28.	Engine		
	a. Make & Model	To be mentioned	
	b. Country of Origin	Gp A Countries	
	c. Country of Manufacturer	Gp A Countries	
	d. Country of Assembly	To be mentioned To be mentioned	***************************************
	e. Engine Type	To be mentioned	
	f. No of Cylinder	To be mentioned	***************************************
	g. Bore & Stroke	To be mentioned  To be mentioned	
	h. Displacement	To be mentioned	
	j. Compression Ratio	To be mentioned  To be mentioned	
	k. Horse Power (HP) with rpm  I. Torque (Nm) Minimum with rpm	To be mentioned	

		ESTRICTED IS IN THE PROPERTY OF THE PROPERTY O	M. A.L. CH.
Ser	Nomenclature/Description	Specification specified	Must be filled up by manufacturer/principal
	n. Air Cleaner Type	To be mentioned	
	p. Fuel Filter Type	To be mentioned	
	q. Cruising range (Km)	To be mentioned	
	r. Life Expectancy	Life expectancy of new engine up to 1st	
		overhauling not less than 1,00,000 KM	
		(One Lac Kilometer) (Certificate must be	
	Toring Torin Bounds Contiferate From	submitted by the manufacturer/supplier)  1. Engine Test Bench Report for all	
	s. Engine Test Bench Certificate From Manufacturer	Engine Test Bench Report for all engines prepared by manufacturer during	
	Manuacturer	production of engine at manufacturing	
		factory must be submitted to the	
		SI/PSI team for each model.	
		2. If Engine Test Bench Report of	
	- Commission	all engines cannot be submitted, in that	
		case for other engines of the same model	
		must be certified and confirmed with the	
		engine Test Bench Report (Mentioning	
		engine number) by the manufacturer duly	
		signed and stamped.	
\ F\	t. Emission Standard	Euro-2 and above	
29.	Fuel Supply System:	Dissal.	
	a. Fuel Type	Diesel Taba martiaged	
	b. Fuel tank capacity (In liters)	To be mentioned  To be mentioned	
	c. Injection Type (Direct/EFI) d. Fuel Injection Pump Type	Inline/ Rotary/ VE/Common Rail/ Electric	
	d. Fuel Injection Pump Type	to be mentioned	
30.	Cooling System :	to be mentioned	
30.	a. Type	Liquid Cooled	
	b. Coolant capacity	To be mentioned	······································
31.	Lubrication System:		
	a. Type	To be mentioned	
	b. Oil pump type	To be mentioned	
	c. Oil Capacity	To be mentioned	
32.	Clutch type	To be mentioned	
33.	Transmission :		***************************************
	a. Make and Model	To be mentioned	
	b. Country of Origin	Gp A Countries	
	c. Country of Manufacturer	Gp A Countries To be mentioned	
	d. Country of Assembly e. Type	To be mentioned	
	f. Operation	To be mentioned	
	g. Gear ratio:	10001101101	
	1st	To be mentioned	
	2 <sup>nd</sup>	To be mentioned	
	3rd	To be mentioned	
	4th	To be mentioned	
	5**	To be mentioned	
	Reverse	To be mentioned	
	h. Oil capacity	To be mentioned	
34.	Front axle		
	а Туре	To be mentioned	
	b. Make	To be mentioned	
	c. Country of Origin	Gp A Countries Gp A Countries	
	d. Country of Manufacturer e. Country of Assembly	To be mentioned	
	f. Capacity	To be mentioned	
35.	Rear Axle		
	a. Type	To be mentioned	
	b. Make	To be mentioned	
	c. Country of Origin	Gp A Countries	
	d. Country of Manufacturer	Gp A Countries	
	e. Country of Assembly	To be mentioned	ad animatika senan apamanna-anasanan amanina anasanah animatikan animatikan sena sena animatikan senan senan s
	f. Capacity	To be mentioned	
36.	Suspension:		
	a. Front	To be mentioned	MARCO SECURA NACIONAL PROPERTY SECURITION DE CONTRACTOR DE
	b. Rear	To be mentioned	
37.	Steering System	To be mentioned	
38.	Brake System		
	a. Service Brake:	To be provided.	
	(I) Front	To be mentioned	
	(II) Rear	To be mentioned	

	Nomenclature/Description	Specification specified	Must be filled up by manufacturer/principal
+	b. Type of Parking Brake	To be mentioned	ananastare/pintolpa
-	c. Emergency Brake	To be mentioned	
+	Wheels & Tyres	10 00 1701101100	
+	a. Rim Type	To be mentioned	***************************************
A	b. Tyre Type (Tube type/Tubeless)	To be mentioned	
1	c. Tyre Size:	3.0.00	
diame	(1) Front	To be mentioned	
1	(2) Rear	To be mentioned	
	d. Tyre Brand	Bridgestone/Dunlop/Good year/	······································
		Yokohama / Toyo/ Uniroyal / Continental / Michelin/ Folda/ Firestone /Armstrong / AMTEL/ Pirelli/Hankook and Kumho	
A	e. Tyre Manufacturer Country	Brazil / EU Countries / Indonesia / Japan / Philippines / Russia / Singapore / Thailand /USA / Malaysia/ South Korea	-
1	f. Tyre pattern	ND, GG, CC (Non-Directional, Ground Grip, Cross Country)	
1	g. Rim Size	To be mentioned	
1	g. No of Tyres including Spare	To be mentioned	
1	Electrical System		
	a. Number of Batteries, Volt & AH	To be mentioned	
· h	b. Alternator output (Volt, Amp)	To be mentioned	1.1415.034.1415.1417.1413.1413.1414.1417.1417.1417.1417
2	c. Starter output (Volt, kW)	To be mentioned	
+	Following Accessories to be provided	1062-	331-343-99 <b>18.98</b> 3-868 8-86 30-1 (1.568 30 (1.573 )-3 (1.388 )-3 (1.588 )-5 (1.574 )-3 (1.388 )-3 (1.588 )-3
A	All light including head light, Tail, Stop, Hazard, Reverse, Parking Brake, Indicator, Inside roof light, Fog light etc.	To be provided	
	b. All gauges/meters and indicator such as dimmer warning light, hazard, battery condition indicator, amp meter, cooling, fuel gauge, lubrication,	To be provided	
	c. Spare wheel complete set with fitting attachment.	To be provided	
	d. 02xSun visors with fitting brackets	To be provided	
- Anna		To be provided  To be provided	
-	e. 01xinside rear view mirror	To be provided  To be provided	
	f. 02xOutside rear view mirror	To be provided  To be provided	
· des	g. 01xAM/FM Radio set with speaker		-
- August	h. 01xDigital quartz clock at dashboard	To be provided	
-	j. 01xCigarette lighter & Ashtray	To be provided	THE CONTRACT OF THE CONTRACT O
- de la constitución de la const	k. Side protecting moulding.	To be provided  To be provided	
	I. Cool box for soft drinks/water locally		
	m. Techometer at dash board.	To be provided	
	n. Co-ordination quality fabric seat.	To be provided	
	p. 01x set floor mat	To be provided	
Acceptable.	q. Tinted Laminated windshield	To be provided	
	r. Boost ventilator with central fresh & cool air circulation and hot air circulation with rear heater control system and climate control system for front and rear passenger	To be provided	
	s. 01x steering wheel cover	To be provided	AND THE REPORT OF THE PERSON AND THE
A	t. Seat belt for driver and second seater (ELR 3	To be provided	
	point)		
	u. All door lock must be provided	To be provided	***************************************
	Adjustable seat full tilting system with	To be provided	
	back rest and head rest w. Glove box at dash board and large side	To be provided	
de la companya de la	pocket in the driver's door for storing vehicle documents.	To be provided	
	x. Intermittent windshield wiper 2xfront.	To be provided	
	y. Intermittent windshield 01x rear and rear defogger.	To be provided	
A	z. Fire extinguisher capacity: 01 kg. ABC & E type (or ABC of Japan which is capable of extinguishing ABC&E type fire) complete with chemicals and fitted with brackets near driver seat.	To be provided	
A	aa Inspection lamp complete 10 meter cable, plug & socket in the vehicle locally.	To be provided	
***********	bb. Mudguard with mud flap for all wheels.	To be provided	****
Í	cc. Front and rear door foot step set fitted.	To be provided	
-	Und OO for large at forms	To be provided	
*************	dd. 02x fog lamp at front. ee. Front and Rear Grill guard/Ball Bar	To be provided	

	F	RESTRICTED	
Ser	Nomenclature/Description	Specification specified	Must be filled up by manufacturer/principal
42.	Following tools set to be provided with each vehicle		
	a. 01xjack assembly with handle and mentioning the capacity.	To be provided	
	b. 01xWheel wrench with handle.	To be provided	**************************************
	c. 01xAdjustable wrench	To be provided	
	d. 01xPlier	To be provided	***************************************
	e. 01xScrew driver (+-) with handle	To be provided	
	f. 02x Double ended spanner	To be provided	
	g 02x stopper wheel	To be provided	***************************************
	h. Grease gun with replaceable tip	To be provided	***************************************
	j. 01x Tool bag for above tools.	To be provided	
13.	Colour	As per requirement of indenter	***************************************
14.	POL Information		
	a. Detail maintenance schedule of vehicle & Engine	To be mentioned	
	b. Type of fuel to be used in Bangladesh	To be mentioned	
	c. Type of Engine oil used in vehicle	To be mentioned	
	d. Type of Engine oil to be used in Bangladesh	To be mentioned	
***************************************	e. Type of Gear oil used in vehicle	To be mentioned	
5.	Design with drawing	To be provided	
6.	Terms and Conditions		
	a. Time of Free Service	1 Year or 12000 Miles (Whichever comes later)	
	b Warranty/Guarantee	1 Year or 12000 Miles (Whichever comes	
		later) from the date of issuing I/Note	
	c. Technical Offer should be on the Original Pad of Principal /Manufacturer with Sign and Seal	To be submitted	
	d Authorization certificate to be provided by the Manufacturer in favour of Principal	To be submitted	
	e. Authorization certificate to be provided by the Principal in favour of Local Agent	To be submitted	
	f. After sales service, repair and maintenance:		
	(i) After sales service, repair and maintenance by Local	Details to be mentioned (Workshop	
	Agent (Minimum 10 years)	address authorization certificate)	
	(ii) Details of maintenance schedule	To be mentioned	(*************************************
	g. Model Validity (Minimum 10 years from the signing of contract)	Certificate to be provided	
	h. Spares will be available for at least 15 years (Confirmation certificate to be provided by Manufacturer)	Certificate to be provided	
PART	3: TRAINING REQUIREMENT		
7	Training Requirement		
	a. User Training	To be provided (As per requirement of	
	b. Operation, Repair and Maintenance Training	User/Sponsor Directorate)	
		To be provided (As per requirement of EME Directorate)	***************************************
	c. Equipment Management Training	To be provided (As per requirement of Ord Directorate)	
	4: REPAIR AND MAINTENANCE REQUIREMENT		
A CONTRACTOR OF THE	LIST OF SPARES		
18.	Books and Publications :	T- 1- 12-174	
	a. Owners/Operational Manual in English (Book type)	To be provided (As per requirement of	
	including soft copy	EME Directorate)	
	b. Workshop/Repair Manual in English (Book type)	To be provided (As per requirement of	
	c. 100% updated Master Spare Parts Catalogue in	EME Directorate)  To be provided (As per requirement of	
	English (Book type) including soft copy  d. Complete and updated Master Spare Parts Price	EME Directorate)	
	Catalogue/List in English (Book type) including soft	To be provided (As per requirement of EME Directorate)	
	copy copy	LIVIE DIEGOLOTALE)	
PART	5: TOOL LIST SPARES		
19.	Recommended 10% Fast and Slow Moving Spare	To be provided	
	Parts List (Hard Copy) (Fast Moving for 2 Years and Slow Moving for 5 Years) including soft copy		
	6: TOOL LIST FOR DIFFERENT LEVEL OF		
	TENCE	The state of the s	
50.	Analyzer, Measuring & Testing/Fault Finding and	To be provided (As per requirement of	
	Diagnostic set (Updating the software for at least 05	EME Directorate)	
	years free of cost)	*	
51.	Special Service Tools (SST)	List to be provided (As per requirement of	
		EME Directorate)	
52.	Special Service Materials (SSM)	List to be provided (As per requirement of	

PESTRICTED

Ser		Nomenclature/Description	Specification specified	Must be filled up by manufacturer/principal
			EME Directorate)	
PART	-7: FIN	ANCIAL SPECIFICATION		
53.	Finan	cial Implication/Specifications	To be provided (As per requirement of Ord Directorate)	
54.	Unit price		To be mentioned	
55.	Likely increase of unit price in percentage during next five (05) years due to price escalation		To be mentioned	
56.	Inspections			
	a.	Stage inspection	Name of places/location (factory/plants etc) for stage inspection of major components to be mentioned	
	b.	Pre-shipment inspection (PSI)	Address to be mentioned	
	Delive	ry Schedule	Up to 12 Months	
	Broch	ure/Catalogue (In Original)	To be provided	

a.	Following information's/documents to be submitted along with the offer:  Details of working principle.
b.	After sales service details to be mentioned.
C.	Approximate FOB price
d.	Arrangement with the firm for training and PSI of person for operation and maintenance (Country to be mentioned).
e.	Same Local Agent representing more than one model in the same category will not be approved for standardization.
f.	Any other relevant technical information may also be enclosed.