

Directorate General Defence Purchase
Ministry of Defence
New Airport Road
Tejgaon, Dhaka-1215, Bangladesh
Fax : 880-2-9122748
Tel : Mil 5038, Civ 9132225

Ashwin 1433

06.06.0000.218/Eval/30.2026/12.7MM

02
17

September 2026

RE-EVALUATION COMMITTEE FOR 12.7 MM AAMG FOR THE REGT OF ARTY OF BD ARMY

Reference:

A. Army Headquarters, General Staff Branch, Artillery Directorate letter number 23.01.901.031.01.079.23.13.09.26 dated 13 September 2026 (Not to All).

1. In light of above reference, please be informed that, Bangladesh Army is re-evaluating subjected 12.7 mm AAMG for the Regiment of Artillery. In this regard 'Preliminary Technical Specification' of subjected system is forwarded as Annexure A to this letter please.

2. You are requested to apply to local firms, agents and foreign principals to receive their 'Expression of Interest' with respect to this system and submit following documents in quadruplicate directly to Army Headquarters, General Staff Branch, Artillery Directorate (E-mail: artydted@army.mil.bd) **by 20 October 2026**.

a. Technical Specification both hard and soft copy as per Annexure A. Information asked should not be kept blank.

b. Catalogue/Brochure and Manuals of all major components and Fire Control Instrument (FCI), include their detail Technical Specification and pictures (Originally printed by Manufacturer) and CD.

c. Valid Certificate from Original Equipment Manufacturer (OEM) as authorized agent.

d. Original letter of authorization from the manufacturer against the principal and local agent in Bangladesh.

3. All the documents are to be submitted on manufacturer's/principal's official pad including official stamp with signed by proper authority.

4. Forwarded for your information and necessary action please.



MUHAMMAD FARHADUZZAMAN AKANDA
Lieutenant Colonel
For Director General

Annex:

A. Technical Specification of 12.7 mm AAMG – 04 (Four) Pages.

Distribution:

External:

Action:

(Enlisted Suppliers of Group-4)

Information:

Army Headquarters, General Staff Branch, Artillery Directorate